

CCTV IP Surveillance Transmit Solution




www.wireless-tek.com




Company Website Cloud Management Technical Support

Less than 100Meters Power+Data Transmit Solution

Indoor Mesh Access Point with 3 PoE Port




Three ports are available for bridging two of which offers PoE passthrough when the AP is powered by an 802.3af/at PoE Switch



Model	WI-AP717MP
Wireless Data Rate	1200Mbps
Interface	3*1000M
PoE Port	2 PoE Output (DC 48-52V IN or Port1 PoE IN)
Wi-Fi Users	100+
Frequency	2.4Ghz and 5Ghz
Installation	Indoor Ceiling and Wall mount

100m 802.3af/at/bt PoE Injector



30-60 Watts 100Mbps Gigabit PoE Injector

PoE/PoE+
100m Max

Data ——— Power ———



Product	WI-POE31-48V	WI-POE51-48V	WI-POE55-60W	WI-POE58-90W	WI-POE56-60W-O
Speed	100Mbps	Gigabit	Gigabit	Gigabit	Gigabit
PoE Output	802.3af/at	802.3af/at	802.3af/at/bt	802.3af/at/bt	802.3af/at/bt
Ports	2FE	2GE	2GE	2GE	2GE
PoE Pin	12+ 36-	12+ 36-	1245+ 3678-	1245+ 3678-	1245+ 3678-
PoE Budget	24W	24W	60W	90W	60W
Application Environment	Indoor	Indoor	Indoor	Indoor	Outdoor

Less than 250Meters Power+Data Transmit Solution

250m Economic CCTV PoE Switch

CCTV Mode for Longer Distance + Port VLAN

Default  100 Meters

Extend  250 Meters



Product	WI-PS205H	WI-PS210H	WI-PS518GH	WI-PS526GH	WI-PS308GH	WI-PS309GFH	WI-PS318GFH
Ports	4FE+2FE	8FE+2FE	16FE+1G +1CO SFP	24FE+1G +1CO SFP	8GE+2GE	8GE+1G +1SFP	16GE+2CO SFP
PoE Ports	4	8	16	24	8	8	16
Feature	250m+Port VLAN	250m+Port VLAN	250m+Port VLAN	250m+Port VLAN	250m+Port VLAN	250m+Port VLAN	250m+Port VLAN
Power Budget	40W	65W	150W	200W	65W	65W	200W
PoE Watchdog	YES	YES	YES	YES	YES	YES	YES

250m Long-Range Hi-PoE CCTV PoE Switch

802.3bt
60-95W

802.3at
30W



802.3af
15W



Product	WI-PS205	WI-PS210	WI-PS210G	WI-PS518G	WI-PS526G
Ports	6FE	10FE	8FE + 2GE	16FE+2GE+1SFP	24FE+2Combo
PoE Ports	4	8	8	16	24
Feature	250 meters PoE Port VLAN	250 meters PoE Port VLAN	250 meters PoE Port VLAN	250 meters PoE Port VLAN	250 meters PoE Port VLAN
Ping Watchdog	YES	YES	YES	YES	YES
Hi PoE 60W	Port 1	Port 1	Port 1	Port 1,2	Port 1,2
Power Budget	65W	120W	120W	200W	250W

Less than 500Meters Power+Data Transmit Solution

100Mbps and Gigabit PoE Extender



Product	WI-PE31E	WI-PE51E	WI-POE21E-O	WI-POE22E-O	WI-PE41E-O
Speed	100Mbps	100Mbps	Gigabit	Gigabit	100Mbps
PoE Output Port	2*802.3af/at PoE	4*802.3af/at PoE	2*802.3af/at PoE	2*802.3af/at/bt PoE	3*802.3af/at PoE
PoE Input Port	1*802.3af/at PoE	1*802.3af/at/bt PoE	1*802.3af/at PoE	1*802.3af/at/bt PoE	1*802.3af/at PoE
Ports	3FE	6FE	3GE	3GE	4FE
PoE Pin	12+ 36-	12+ 36-	12+36-	1245+ 3678-	1245+ 3678-
PoE Budget	30W	30W	30W	60W	60W
Application Environment	Indoor	Indoor	Outdoor IP68	Outdoor IP68	Outdoor IP66


Outdoor Waterproof PoE Switch



Product	WI-PS210G-O	WI-PS310GF-O	WI-PMS305GF-O
Ports	6FE(PoE)+2GE(PoE) +2GE+1SFP	6GE(PoE)+2GE(PoE) +2GE+2SFP	4GE(PoE)+1GE(PoE) +1SFP
PoE Output Port	6*802.3af/at PoE+2*802.3bt PoE	6*802.3af/at PoE+2*802.3bt PoE	2*802.3bt PoE+2*24V Passive PoE
PoE Input Port	No	No	1*802.3bt PoE
Power IN	AC 110-240V	AC 110-240V	DC 37-55V
L2 Management	No	No	Yes
PoE Budget	120W	120W	180W
Application Environment	Outdoor	Outdoor	Outdoor


Less than 25km Power+Data Transmit Solution(urban environment)

Fiber Media Converter



Product	WI-MC101M	WI-MC101G	WI-MC103G	WI-MC115G	WI-MC135G	WI-MC111G	WI-MC111GP	WI-MC111G-O
Speed	100Mbps	Gigabit	Gigabit	Gigabit	Gigabit	Gigabit	Gigabit	Gigabit
Transmit Range	25KM	25KM	3KM	25KM	25KM	25KM	25KM	25KM
Ports	1FE+1SC	1GE+1SC	1SC+1GE	1SC+4GE	4SFP+1GE	1GE+1SFP	1GE(PoE)+1SFP	1GE(PoE)+1SFP
PoE Output	No	No	No	No	No	No	802.3af/at	802.3af/at
Power adapter	5V/1A	5V/1A	5V 2A	5V 2A	12V 1A	5V/1A	48V/0.75A	DC IN 48-52V
Application Environment	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Outdoor


Industrial Grade PoE Switch



Product	WI-PS206-I	WI-PS206GF-I	WI-PS212GF-I	WI-PS302GF-I	WI-PS306GF-I	WI-PS310GF-I	WI-PMS305GF-I	WI-PMS306GF-I	WI-PMS312GF-I
Ports	4FE	4FE+1GE+1SFP	8FE+2GE+2SFP	1GE+1SFP	4GE+2SFP	8GE+2Combo	4GE+1GE(PD)+1SFP	4GE+2SFP	8GE+4SFP
PoE Ports	4*100Mbps	4*100Mbps	8*100Mbps	1*1000Mbps	4x1000Mbps	8x1000Mbps	4*1000Mbps	4x1000Mbps	8x1000Mbps
Watchdog	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
L2 Manageable	No	No	No	No	No	No	Yes	Yes	Yes
802.3BT	No	No	No	No	Yes	Yes	Yes	Yes	Yes
250m PoE	Yes	Yes	Yes	Yes	No	No	No	No	No

Less than 25km Power+Data Transmit Solution(rural environment)


Wireless Transmitter for CCTV Network






Product	WI-CPE111-KIT	WI-CPE513P-KIT	WI-CPE511-KIT	WI-CPE515-KIT	WI-CPE518-KIT	WI-CPE900-KIT	WI-CPE523P	WI-CPE517	WI-CPE521
Wireless Speed	300Mbps	300Mbps	300Mbps	300Mbps	300Mbps	900Mbps	300Mbps	300Mbps	300Mbps
Transmit Range	2km	3km	5km	10km	15km	10km	5km	5km	2km
Wireless Frequency	2.3-2.7Ghz	5.1-5.8Ghz	4.7-6.0Ghz	4.7-6.0Ghz	4.7-6.0Ghz	4.7-6.0Ghz	5.1-5.8Ghz	4.7-6.0Ghz	4.7-6.0Ghz
PoE Support	24V 100Mbps	48V 100Mbps	24V 100Mbps	24V 100Mbps	24V 100Mbps	24V Gigabit	48V 100Mbps	24V 100Mbps	24V 100Mbps
Camera Qty Support	16PCS	20PCS	20PCS	30PCS	30PCS	160PCS	20PCS	30PCS	30PCS
Plug and Play	No need software setting,once power up, auto-connect for PTP application						Config via WEB	Config via WEB	Config via WEB
PoE Out Port	No	1	No	No	No	No	3	No	No
Antenna Angle	60°	60°	60°	60°	8°	8°	60°	150°	360°


No-break Power+Data Transmit Solution under electricity unsteadiness /shortage environment

Solar Powered UPS PoE Switch



Product	Port	Output Power	PoE Output Volt	Power	Solar Panel Input	Battery Output	L2 Managed
 WI-PS306GF-UPS	5GE+1SFP	120W	Port 1:48V 60W Port 2-3:48V 30W Port 4-5:24V/48V 24/30W	For 12V Battery: DC 18V-30V For 24V Battery: DC: 30-36V	15-30V(12V standard) 30-44V(24V standard) 250W Max	12/24V 50AH MAX	No
 WI-PMS310GF-UPS+	8GE + 2SFP	150W	Modifiable: 24V 24W or 48V 30W	AC 110~240V	24V 500W MAX	24V 100AH MAX	Yes
 WI-PS302G-UPS	2GE	30W	Modifiable: 24V 24W or 48V 30W	AC 110~240V	NO	12V 30AH MAX	No

4G LTE Wi-Fi Router/CPE




Product	WI-LTE300	WI-LTE110-O	WI-LTE115-O	WI-LTE117-O	WI-LTE400G
Wireless Data Rate	2.4G 300Mbps	2.4G 300Mbps	2.4G 300Mbps	2.4G 300Mbps	None
LTE Category	CAT4	CAT4	CAT4	CAT4	CAT4
Interface	3*100M	1*100M	1*100M	2*100M(PoE Out)	4*1000M(PoE Out)
Installation	Indoor	Outdoor	Outdoor	Outdoor	Indoor
Application	CCTV&Hotspot	CCTV	CCTV	CCTV	CCTV
SD-LAN	NO	NO	NO	Yes	Yes
Cloud Management	NO	NO	NO	Yes	Yes

SD-LAN can quickly establish a dedicated virtual LAN on the Internet, so as to realize one-key interconnection and you can access your IP camera under different IP segment between different branch nodes



know more about SD-LAN





Technical Support



Cloud Management



Company Website

Wireless-Tek Technology Limited

Address: Room 402 4F, BiaoFan Technology Building, Bao'An Avenue, FuYong Town, Bao'An district, ShenZhen

Website: www.wireless-tek.com

Tel: 86-0755-32811290

Email: sales@wireless-tek.com

Technical Support: tech@wireless-tek.com